

ERAMCO LATEX®

High-Performance SBR Polymer for Cement & Mortar Modification.



Version 1 – Revised on 06/08/2025

Product Description

ERAMCO LATEX is a premium styrene-butadiene rubber (SBR) polymer emulsion specially formulated to enhance the performance of cementitious mixes. It improves bonding, flexibility, and durability, transforming ordinary mortars into high-performance repair and protection systems.



Key Properties

- Excellent adhesion to concrete, masonry, stone, and various substrates.
- Enhances flexural and tensile strength of cementitious mortars.
- Provides superior resistance to water penetration, chemicals, and abrasion.
- Reduces shrinkage and cracking, ensuring long-lasting performance.
- Improves workability while reducing water/cement ratio.
- Non-toxic, water-based, and environmentally friendly.

Applications

- Bonding agent for overlays, renders, and patch repairs.
- Waterproofing mortars and protective coatings.
- Industrial flooring and screeds requiring high durability.
- Tile fixing, grouts, and thin-bed adhesives.
- Repair and maintenance of concrete structures in aggressive environments.

Standards Compliance

- ASTM C1059 – Type II
- ASTM C882 – Bonding strength
- ASTM D2834 – Emulsion properties
- ANSI A108.02 – Tile installation standards

ERAMCO LATEX®

High-Performance Elastic Joint Sealant for Concrete & Masonry



Version 1 – Revised on 06/08/2025

Advantages at a Glance

- Long-lasting adhesion
- Long-lasting adhesion
- Moisture and chemical resistance
- Easy to use with cement mixes
- Cost-effective performance upgrade

Packaging

- 5 kg, 20 kg plastic pails
- 200 kg drums
- 1000 L IBC tanks